Cliss 48 N. 98

DES and GLOBES



108

MACBETH EVANS GLASS
COMPANY

PEREPEREPERE

# Shades and Globes




RETURN TO
DIV.

DESIGN DIV.


DESIGN Office.

U. S. Patent Office.

rrade-Marks and Designs



Iridile Portable, Number 4515. Also illustrated and described on page 92



Macbeth-Evans Glass Company
Pittsburgh


# Macbeth-Evans Glass Company

#### Pittsburgh

Atlanta				10		12	. Rhodes Building
Boston Mass							30 Oliver Street
Chicago	1			•		4	172 West Lake Street
Cincinnati			*	36	•	•	. Pickering Building
Dallas Texas					5	Sout	hwestern Life Building
New York, Uptown			•	0.0		*	. 19 West 30th Street
							. 1 Hudson Street
Philadelphia							. 42 South 8th Street
San Francisco .	ě				76		. 268 Market Street
St Louis		78		. 1			. Chemical Building
Toronto Ont				26			70 King Street West

Factories: Charleroi Pa, Marion Ind, Elwood Ind, Toledo O, and Pittsburgh Pa





# Shades and Globes



HERE are a great many different kinds of glass used in illumination, and we make every kind. The purpose of this book is to show you the principal kinds of globes and shades for use with gas and electricity.

Most of the shades illustrated in this book are intended for residence lighting,

but many of them — especially Alba — are also appropriate for offices, stores, hotels, restaurants, public buildings - all places where efficient, agreeable and beautiful light is desired.

To get the utmost illumination-value — the desired quantity of light where you want it, in the color and softness you want, and with the least waste - you must bear in mind what can be accomplished by the proper shade or globe:

Diffusing or softening of light

2nd Directing light — sending it where you want it

3rd Coloring light (if desired)

It is generally understood that the function of a shade or globe is to soften light, and that a bare source of light is a danger to the eye and health. It is not, however, generally understood that in removing glare one shade absorbs or wastes

much more light than another; neither is understood the extent to which light is distributed differently by shades of differing shapes.

#### Illumination versus Decoration

Almost everybody chooses shades from the decorative point of view. People like their homes, offices and stores to "look well", and do not give full value to the original purpose of the shade. Therefore, most of the shades generally used, and most of the shades illustrated in this book, are primarily ornamental. But we are interested in illumination quite as much as we are in glass and therefore we have kept out of this book the most wasteful forms of glassware.

We make the right shades and globes for every kind and size of lamp, to distribute light in the best way, with the minimum of waste and with the softest, most usable resulting illumination.

The best glass for almost every illuminating use is Alba. It is highly efficient and economical, handsome and easy to keep clean. It does not change the color of light but softens over-brilliancy without smothering or wasting illumination. It has unusual reflective powers, and distributes light accurately. By daylight Alba is a beautiful white. When lighted up it has an exquisite alabaster-like glow.

Alba gives good results with almost any lamp of approximately correct size; but scientific illumination — that is, the best illumination — requires exactly the right lamp and shade or globe in combination. If you will use Alba shades with the correct lamp, you will have more economical and restful illumination than it is possible to get in any other way.

## Decorative Shades

The decorative shades you will choose yourself according to your taste. The illustrations speak for themselves. The usual decorative shade may be used with any lamp which seems to fit it and gives the correct amount of light. The lamp must not, of course, hang below the shade as that exposes the eye to the bare filament which is both harmful and irritating.

Of decorative glassware, the most remarkable is Iridile which, by daylight, has exquisite iridescent coloring. When it is lighted, a beautiful, soft, amber glow is produced. The color-effect produced by Iridile on the complexion and fine fabrics is distinctly favorable. This is an important consideration in rooms used for social purposes. In addition to its highly decorative character, Iridile has remarkable reflecting qualities; and while, of course, it is not so efficient as Alba or even as some other colorless glasses, it gives much more light than other colored glasses—and it is extremely beautiful.

# Assistance in Good Lighting

Our Illuminating Engineering Department is constantly making recommendations to householders, owners of stores, buildings, hotels, etc., as to the best methods of giving them the sort of light suited to their purposes. The services of this department are always at your disposal.

Most good dealers sell our globes and shades, and all dealers can get them.

Take this book to any dealer and he will have no trouble in securing for you the shades and globes you desire. They may also be seen at any of our branches mentioned on page 6.

The different kinds of glass illustrated in this book are:

Iridile: pages 11 to 16.

An iridescent glass with amber as the prevailing tone and the iridescence running into all colors of the rainbow. Either plain Iridile, verde, or verde crackled. (See also Portable Lamps.)

Lustro: page 16.

A delicate-tone iridescent glass with very light topaz prevailing.

Agalite: pages 17 and 18.

A dense vari-colored glass, very decorative. (See also Portable Lamps.)

Alba: pages 19 to 40.

For public buildings the best lighting glassware and in many respects the best for residences: economical, efficient, beautiful, and in some forms (notably Alba Bowls) exquisitely decorative.

Cut Glassware: pages 41 to 64.

Smooth, frosted glassware, with simple or elaborate cutting. Uncolored glass, but very decorative.

Leaded Glassware: pages 65 to 71.

Clear and frosted glass with painted decoration to represent leaded glass and lantern effects.

Cuirass: pages 72 to 74.

Crystal and colored glass frosted set in art brass.

Duplex Etched: pages 75 to 80.

A two-tone effect produced by etching.

"Positive" means: background satin finished, design frosted "Negative" means: frosted background with satin finished design

Simplex Etched: page 81.

The background is frosted and the design clear glass.

Crystal Ribbed: pages 82 and 83.

Similar to the foregoing with only formal line patterns.

Frosted with Crystal Design: pages 84 and 85.

The design is clear and pressed into the glass and the background frosted.

Portable Lamps: pages 87 to 93.

Crystal Roughed Inside: pages 94 to 99.


Clear glass frosted on the inside.

Decorated Glassware: pages 100 to 102.

Designs of various sorts.

Triplex Etched: page 102.

A three-tone effect produced by etching.



### Verde Iridile

Electric

	See illustration in col	or on page 20	
Verde Iridile Verde Iridile Verde Iridile Verde Iridile Verde Iridile Verde Iridile	Fitter 2¼ inches 2¼ inches 2¼ inches 2¼ inches 2¼ inches 2¼ inches	Diameter 3½ inches 3¾ inches inches 3½ inches 3½ inches	Depth 5½ inches 6½ inches 5½ inches 6½ inches 6½ inches 6½ inches
	Please mention "Verde Iridile	3 9 inches	



## Crackled Iridile

#### Electric


No.		Fitter	Diameter	Depth
2650	Crackled Iridile	21/4 inches	3 inches	5½ inches
2651	Crackled Iridile	21/4 inches	$3\frac{3}{16}$ inches	6½ inches
2652	Crackled Iridile	21/2 inches	$3\frac{5}{16}$ inches	5½ inches
2653	Crackled Iridile	21/4 inches	318 inches	6½ inches
3508	Crackled Iridile	21/4 inches	4½ inches (square)	4¼ inches

Please mention "Crackled Iridile" as well as numbers



## Iridile

		•	
e e e e e	Fitter 2 ¼ inches	Diameter 3½ inches 3½ inches 4 inches 4 inches 4 inches 5 inches 8 inches 4½ inches	Depth 6 inches 7 inches 43/ inches 61/4 inches 41/5 inches 5 inches 5 inches
Pleas	e mention "Iridile" as	well as a t	o inches
	e e e e e	Fitter 2 ¼ inches le 2 ¼ inches le 2 ¼ inches e 2 ¼ inches	Diameter   Diameter



This metal fixture is shown merely to illustrate the shades in use.

The shade, Number 2598, is illustrated and described on the opposite page.



No. *2587 Iridile 2598 Iridile 2601 Iridile 2602 Iridile	Fitter 2¼ inches 3¾ inches 2¼ inches 2¼ inches	Iridile  Diameter 7½ inches 6½ inches 4½ inches	Depth $4\frac{1}{4}$ inches $4\frac{1}{16}$ inches	For Electric Gas
2614 Iridile 2627 Iridile 3508 Iridile	2¼ inches 2¼ inches 2¼ inches	4½ inches 6½ inches 6½ inches 4½ inches (square)	4¼ inches 4 inches 3¾ inches 4¼ inches	Electric Electric Electric Electric Electric

Please mention "Iridile" as well as numbers \*See illustration in color on page 89



# Iridile and Lustro

					-
		Fitter	Diameter	Depth	For
No.	02000200		9 inches	53% inches	Electric
2617	Iridile	2¼ inches	9 menes	- / -	Electric
2632	Tridile	21/4 inches	11 inches	4 5% inches	Electric
2004	mune		02/:-1	5½ inches	Electric
2671	Lustro	21/4 inches	3¾ inches		
	T	21/4 inches	4 inches	6½ inches	Electric
2672	Lustro			45% inches	Gas
. 2673	Lustro	33/8 inches	45% inches	4 % menes	Cas

Please mention "Iridile" as well as numbers




## Agalite

See illustration in color on page 3

No.  *6009 Leaded Agalite 33% inches 63% inches 6010 Leaded Agalite 21% inches 5 inches 6012 Leaded Agalite 21% inches 41% inches 6014 Leaded Agalite 21% inches 53% inches 6015 Leaded Agalite 21% inches 53% inches 6016 Leaded Agalite 21% inches 7 inches 6016 Leaded Agalite 21% inches 61% inches 6017 Leaded Agalite 21% inches 61% inches 61% inches 6017 Leaded Agalite 21% inches 53% inches (square) 6017 Leaded Agalite 21% inches 53% inches (square) 61% inches 62% inches 62% inches 63% inches 63% inches 64% inches 65% inches	Depth 3¾ inches 4½ inches 4½ inches 6 inches 5 inches 4¾ inches	For Gas Electric Electric Electric Electric Electric
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------	------------------------------------------------------------------------

16



## Agalite Electric

No.	Fitter	Diameter	Depth
*6000 Agalite	21/4 inches	4 inches (square)	4 inches
*6002 Agalite	21/4 inches	5 inches (square)	4 inches
†6021 Agalite	21/4 inches	4 inches	41/8 inches
†6024 Agalite	21/4 inches	8 inches	5 inches
†6025 Agalite	2¼ inches	47/8 inches	5 inches

\*Furnished in Green, Ruby, Amber, Green-Ruby and Opalescent †Furnished in Amber Please mention "Agalite" as well as numbers




#### Alba


#### Electric

No.		Fitter.	Diameter	Depth	Lamps
3439 A	Alba	21/4 inches	31/2 inches	3¼ inches	25 Watt
3439 B		2¼ inches	43% inches	3½ inches	25 Watt
3439 C		2¼ inches	5¼ inches	3 inches	25 Watt
3506	Alba	2¼ inches	4 inches	41/2 inches	25 or 40 Watt
3508	Alba	2 inches	41/2 inches (square)	41/4 inches	25 or 40 Watt
3641	Alba	2¼ inches	4½ inches	41/2 inches	25 or 40 Watt
3642	Alba	2¼ inches	6½ inches	5½ inches	40 Watt
3667	Alba	21/4 inches	8 5% inches	6½ inches	100 Watt

Please mention "Alba" as well as numbers



Verde Iridile shade, Number 2649. Also illustrated and described on page 11.




### Alba

#### Electric

No.		Fitter	Diameter	Depth	Lamp
3419	Alba	21/4 inches	5⅓ inches	35% inches	25 or 40 Watt
3420	Alba	21/4 inches	5¾ inches	45% inches	25 or 40 Watt
3424	Alba	21/4 inches	7¼ inches	4¾ inches	60 Watt
3429	Alba	21/4 inches	81/4 inches	6 inches	100 Watt
*3445	Alba (top opening)	2½ inches	11 inches	7 inches	250 Watt

Please mention "Alba" as well as numbers

\*This shade is used with Macbeth-Evans Glass Company holder, which your dealer can get from us



This metal fixture is shown merely to illustrate the shades in use.


The shade, Number 2609, is illustrated and described on the opposite page.



#### Alba

			Electric	*	
No. *6017 *2609 2652 2653 3507 3509	Alba Verde Alba Verde Alba Verde Alba Frosted Alba Frosted Alba Frosted	Fitter 2¼ inches	Diameter $5\frac{3}{4}$ inches (square) $4\frac{1}{2}$ inches $3\frac{5}{16}$ inches $3\frac{9}{16}$ inches $5\frac{1}{2}$ inches $5\frac{1}{4}$ inches $5\frac{1}{4}$ inches $5\frac{1}{4}$ inches	Depth 5 inches 6¼ inches 5½ inches 6½ inches 5¾ inches 4¼ inches 4¼ inches	Lamp 40 Watt 25 or 40 Watt 25 or 40 Watt 25 or 40 Watt 25 or 40 Watt 25 Watt 25 Watt
3510	TIDE TIOSCOL	-/4	~/7		

Please mention "Alba" as well as numbers \*Furnished with either Verde or Gold Ribs



This metal fixture is shown merely to illustrate the shades in use.

The shades, Numbers 3655 and 3656, are illustrated and described

on the opposite page.




#### Ornamental Alba Balls Frosted

#### Electric

	Fitter	Diameter	Depth	Lamp
Alba Frosted	3¼ inches	6 inches	5 1/8 inches	25 or 40 Watt
Alba Frosted	4 inches	8 inches	7 inches	60 Watt
Alba Frosted	5 inches	10 inches	81/4 inches	100 Watt
Alba Frosted	6 inches	12 inches	10 inches	150 Watt
	Alba Frosted Alba Frosted	Alba Frosted 3½ inches Alba Frosted 4 inches Alba Frosted 5 inches	Alba Frosted 3¼ inches 6 inches Alba Frosted 4 inches 8 inches Alba Frosted 5 inches 10 inches	Alba Frosted 3¼ inches 6 inches 5% inches Alba Frosted 4 inches 8 inches 7 inches Alba Frosted 5 inches 10 inches 8¼ inches

Please mention "Alba Frosted" as well as numbers



This metal fixture is shown to illustrate the ornamental ball in use. The ornamental ball, Number 3659, is illustrated and described on the opposite page. Length over all 54 inches.



#### Alba

#### Electric

No. Fitter Diameter Height Lamp
\*3659 Alba Ornamental Balls 9 inches 14 inches 12 inches 250, 400 or 500 Watt


27

Depth

†3651 Alba Hemispheres 14 inches 6¾ inches

\*Frosted Outside Please mention name as well as number † Fixture is not included

00



Alba Pendant Spheres and Ornamental Balls

For use with large Tungsten Lamps

Balls		Complete Unit No.	No. of Ball with out fixtur	n- Lamp		Spheres	Complete Unit No.	Lamp	
6-inch	Ball		2687		Watt	10-inch Sphere	5209	150 Watt	Š
8-inch	Ball		2688	60	Watt	12-inch Sphere	5313	250 Watt	
10-inch	Ball	5275	2689	100 or 1	Watt	14-inch Sphere	5218	400 or 500 Watt	6
12-inch	Ball	5276	2690	150 or 250	Watt	16-inch Sphere	5220	500 Watt	
14-inch	Ball	5277	2691	250, 400 or 500	Watt	See page 29 for i	llustration	s and descriptions	
16-inch	Ball	5278	2692	250	250 Watt of sphe		res withou	t fixture	
	C+			ling to place 40 incl	hac	Unit is compl	ata avcant	ing Lamne	




## Alba Hemispheres

For use with large Tungsten Lamps

		9
No.	Flange Diameter	Depth
3484 Alba	8 inches	4 inches
3482 Alba	10 inches	5 inches
3483 Alba	12 inches	6 inches
3485 Alba	14 inches	7 inches
3461 Alba	16 inches	8 inches

Please mention "Alba" as well as numbers



This unit is complete except for lamps, including both the bowl and the fixture. The bowl alone, Number 3486, is illustrated and described on opposite page. Length over all 41 inches.




#### Alba Semi-Indirect Bowls

No. 3486 Alba Frosted 3468 Alba Frosted Diameter 21 inches 14 inches Depth
7¾ inches
5½ inches


Lamps Four 60 Watt or One 400 Watt

One 150 Watt

Please mention "Alba Frosted" as well as numbers




The shade, Number 3620, is illustrated and described on the following page.



#### Alba Semi-Indirect Bowls

	11100		
No.		Diameter	Depth
3467	Alba Frosted	12 inches	2½ inches
3626	Alba Frosted	16 x 11½ inches	2½ inches
3480	Alba Frosted	16 inches	2½ inches
3620	Alba Frosted	10 inches	5 inches
3621	Alba Frosted	12 inches	6 inches
3622	Alba Frosted (shape)	14 inches	7 inches
3623	Alba Frosted (same shape)	16 inches	8 inches
		THE RESIDENCE AND ADDRESS AND	

'lease mention "Alba Frosted" as well as numbers



In the pendant unit, the metal fixture is included. The newel, or upright metal fixture, is shown merely to illustrate the Alba urn in use.

The urn alone, Number 3487, is illustrated and described on the following page.



## Alba Semi-Indirect Bowls and Urns

No. 3469 Alba Frosted 3487 Alba Frosted 3680 Alba Frosted	Diameter 16 inches 15 inches 14 inches	Depth 5½ inches 10 inches 33% inches
--------------------------------------------------------------------	-------------------------------------------------	--------------------------------------


Please mention "Alba Frosted" as well as numbers



## Alba Shades

No. 3440 3441 3442 3443	Alba Alba Alba	Fitter 2½ inches 2½ inches 2½ inches 2½ inches	Diameter 534 inches 55% inches 6 inches 634 inches	Depth 4½ inches 4½ inches 5½ inches 5¼ inches	25 or
3465 *3466	Alba Alba	3¼ inches 2½ inches (top opening)	12 inches 14 inches	7½ inches 9 inches	

Please mention "Alba" as well as numbers



. Agalite, Number 6017. Also illustrated and described on page 17

<sup>\*</sup> This shade is used with Macbeth-Evans Glass Company holder, which your dealer can get fr




The shades, Numbers 3671 and 3673, are illustrated and described on the following page.



## Alba

No.	Fitter	Diameter	Depth	Lamp
3671 Alba	21/4 inches	6 inches	3¾ inches	25 or 40 Watt
3672 Alba	2¼ inches	7¼ inches	4½ inches	60 Watt
3673 Alba	2¼ inches	8 5% inches	5½ inches	100 Watt
3674 Alba	3¼ inches	107/8 inches	- 6¼ inches	150 Watt


Please mention "Alba" as well as numbers



Alba

3430 Alba 2¼ inches 9 inches 5½ inches 3431 Alba 2¼ inches 7¼ inches 3⅓ inches 25 or 43432 Alba 2¼ inches 9 inches 3⅓ inches 6	0 Watt
3417 Alba (same)       2½ inches       6½ inches       3¾ inches       3         3430 Alba       2½ inches       9 inches       5½ inches       6         3431 Alba       2½ inches       7½ inches       3½ inches       25 or 4         3432 Alba       2½ inches       9 inches       3½ inches       25 or 4	
3430 Alba       2½ inches       9 inches       5½ inches       6         3431 Alba       2½ inches       7½ inches       3½ inches       25 or 4         3432 Alba       2½ inches       9 inches       3½ inches       25 or 4	
3430 Alba       2½ inches       9 inches       5½ inches       6         3431 Alba       2½ inches       7½ inches       3½ inches       25 or 4         3432 Alba       2½ inches       9 inches       3½ inches       25 or 4	5 Watt
3432 Alba 2¼ inches 9 inches 35% inches	0 Watt
0.102	0 Watt
3438 Alba 2½ inches 11 inches 4¾ inches 16	0 Watt
	0 Watt
	0 Watt
*3464 Alba $2\frac{1}{2}$ inches $\binom{\text{top}}{\text{opening}}$ $15\frac{1}{4}$ inches 7 inches 25	0 Watt


Please mention "Alba" as well as numbers
\*This shade is used with Macbeth-Evans Glass Company holder, which your dealer can get from us



## Cut Glassware

#### Electric

	231000110		
No.	Fitter	Diameter	Depth
2640 C 442 Cut Glassware	21/4 inches	6 inches	5% inches
2641 C 442 Cut Glassware	3¼ inches	6 inches	8 inches
2644 C 461 Cut Glassware	21/4 inches	4 inches	5 inches
2645 C 461 Cut Glassware	21/4 inches	4 inches	$6\frac{9}{16}$ inches
2646 C 463 Cut Glassware	21/4 inches	3,5 inches	5 inches
2647 C 467 Cut Glassware	2¼ inches	$4\frac{11}{16}$ inches	4¾ inches




The shades, Numbers 2642 C 424 and 2643 C 424, are illustrated and described on the opposite page.



#### Cut Glassware

#### Electric

No.	Fitter	Diameter	Depth
2642 C 424 Cut Glassware	2¼ inches	$3\frac{1}{16}$ inches	5 inches
2642 C 462 Cut Glassware	2¼ inches	$3\frac{1}{16}$ inches	5 inches
2642 C 464 Cut Glassware	21/4 inches	$3\frac{1}{16}$ inches	5 inches
2643 C 424 Cut Glassware	21/4 inches	4 inches	65% inches
2643 C 462 Cut Glassware	21/4 inches	4 inches	65% inches
2643 C 464 Cut Glassware	21/4 inches	4 inches	65% inches




This metal fixture is shown merely to illustrate the shades in use. The shades, Numbers 1498 C 458 and 1498 A C 458, are illustrated

and described on the opposite page.




No.	Fitter	Diameter	Depth	For
1418 C 437 Cut Glassware	33% inches	4 inches	5½ inches	Gas
1498 C 442 Cut Glassware	21/4 inches	37% inches	6½ inches	Electric
1498 C 458 Cut Glassware	21/4 inches	37% inches	61/2 inches	Electric
1498 A C 442 Cut Glassware	21/4 inches	$3\frac{11}{6}$ inches	51/2 inches	Electric
1498 A C 458 Cut Glassware	21/4 inches	$3\frac{11}{16}$ inches	5½ inches	Electric
1499 C 458 Cut Glassware	33/8 inches	4¾ inches	45% inches	Gas




#### Cut Glassware

#### Electric


No.	Fitter	Diameter	Depth
1444 C 437 Cut Glassware	2¼ inches	3⅓ inches	5 inches
1444 C 465 Cut Glassware	2¼ inches	3½ inches	5 inches
1478 C 437 Cut Glassware	21/4 inches	3½ inches	7 inches
1478 C 465 Cut Glassware	2¼ inches	3½ inches	7 inches
2640 C 444 Cut Glassware	2¼ inches	6 inches	5 % inches
2641 C 444 Cut Glassware	3¼ inches	6 inches	8 inches



Fitter	Diameter	Depth	For
21/4 inches	31/8 inches	6½ inches	Electric
2¼ inches	37/8 inches	61/2 inches	Electric
21/4 inches	$3\frac{11}{16}$ inches	5½ inches	Electric
21/4 inches	$3\frac{11}{16}$ inches	51/2 inches	Electric
33/8 inches	4¾ inches	45% inches	Gas
	2¼ inches 2¼ inches 2¼ inches 2¼ inches	$2\frac{1}{4}$ inches $3\frac{1}{8}$ inches $2\frac{1}{4}$ inches $3\frac{11}{16}$ inches $3\frac{11}{16}$ inches $3\frac{11}{16}$ inches	$2\frac{1}{4}$ inches $3\frac{1}{8}$ inches $6\frac{1}{2}$ inches $2\frac{1}{4}$ inches $3\frac{1}{16}$ inches



The shade, Number 2587 C 461, is illustrated and described on the opposite page.




#### Cut Glassware

2627 C 461

#### Electric


No.	Fitter	Diameter	Depth
2587 C 461 Cut Glassware	21/4 inches	71/8 inches	4¼ inches
2625 C 439 Cut Glassware	21/4 inches	4¾ inches	45% inches
2625 C 440 Cut Glassware	21/4 inches	43/4 inches	45% inches
2626 C 439 Cut Glassware	3¼ inches	5½ inches	5¾ inches
2626 C 440 Cut Glassware	3¼ inches	51/2 inches	5¾ inches
2627 C 461 Cut Glassware	2¼ inches	63/8 inches	3¾ inches




#### Cut Glassware

No.			Fitter		Diameter	Height or Depth	For
1357 E C 6	9 Cut Glassware	4	inches	71/2	inches (top)	41/8 inches	Gas
	9 Cut Glassware	2	inches	41/2	inches (top)	41/8 inches	Gas
3491 E C 9	7 Cut Glassware	21/4	inches	5	inches (square	4 5% inches	Electric
3492 E C 9	8 Cut Glassware	21/4	inches	4	inches (square	45% inches	Electric
3491 C 435	Cut Glassware	21/4	inches		inches (square		Electric


E C means that the shade is both etched and cut




No.	Fitter	Diameter	Depth	For
2500 C 433 Cut Glassware	21/4 inches	3½ inches	4½ inches	Electric
2501 C 433 Cut Glassware	4 inches	7 inches	41/4 inches	Gas
2516 C 436 Cut Glassware	21/4 inches	41/2 inches	41/8 inches	Electric
2517 C 436 Cut Glassware	21/4 inches	41/2 inches	43/4 inches	Electric
2518 C 436 Cut Glassware	31/4 inches	6 inches	6 inches	Electric
2519 C 436 (same shape)	3¼ inches	8 inches	81/4 inches	Electric
2575 C 433 Cut Glassware	33/8 inches	51/8 inches	41/2 inches	Gas
2600 C 433 Cut Glassware	21/4 inches	7 inches	4 1/8 inches	Electric




The shades, Numbers 1437 C 411 and 1391 C 411, are illustrated and described on the opposite page.



				I	Electric				
	N	0.			Fitter	D	ameter		Depth
*828	Ċ	411	Cut Glassware	31/4	inches	6	inches	61/4	inches
1150	C	411	Cut Glassware	31/4	inches	7	inches	47/8	inches
1149	C	411	(same shape)	31/4	inches	6	inches	$4\frac{5}{16}$	inches
1151	С	411	(same )	31/4	inches	8	inches	5 3/8	inches
1167	C	411	(same shape)	14	inches	19	inches	8	inches
1391	C	411	Cut Glassware	21/4	inches	- 6	inches	41/4	inches
1436	С	411	(same shape)	7	inches	9	inches	43/4	inches
1437	C	411	Cut Glassware	10	inches	12	inches	51/2	inches
1456	C	411	Cut Glassware	21/4	inches	71/2	inches	6	inches
				*Other sizes	described o	n nage 94			



The shades, Numbers 1230 C 429, 1129 C 411 and 1139 C 411, are illustrated and described on the opposite page.



#### Cut Glassware


#### Electric

			*2
No.	Fitter	Diameter	Height
1129 C 411 Cut Glassy	ware 31/4 inches	5 inches	6¼ inches
1130 C 411 Cut Glass	ware 2¼ inches	4 inches	4¾ inches
1132 C 411 Cut Glass	ware 2¼ inches	3¾ inches (top)	4 inches
1134 C 421 Cut Glass	ware 2½ inches	43/8 inches (top)	57/8 inches
1139 C 411 Cut Glass	ware 4 inches	43/4 inches (top)	8 inches
1230 C 429 Cut Glass	ware 31/4 inches	3 % inches	7¾ inches



No.	Fitter	Diameter	Height or Depth
1027 C 411 Cut Glassware	3¼ inches	6½ inches	6½ inches
1097 C 408 Cut Glassware	3¼ inches	6 inches	5½ inches
1187 C 468 Cut Glassware	21/4 inches	4½ inches (top)	6¾ inches
1396 E C 62 Cut Glassware	3¼ inches	4 inches	5½ inches
1411 E C 76 Cut Glassware	31/4 inches	5 inches	67/8 inches
1497 C 446 Cut Glassware	21/4 inches	5% inches	4 5% inches
2588 C 411 Cut Glassware	3¼ inches	6 inches	$6\frac{1}{1}\frac{3}{6}$ inches

Cut Glassware Electric Please mention "Cut Glassware" as well as numbers




	Electric		2 2
No.	Fitter	Diameter	Depth
*828 C 402 Cut Glassware	3¼ inches	6 inches	6¼ inches
*828 C 423 Cut Glassware	3¼ inches	6 inches	6¼ inches
*828 C 424 Cut Glassware	31/4 inches	6 inches	6¼ inches
948 C 405 Cut Glassware	21/4 inches	4½ inches	4½ inches
949 C 405 (same shape)	21/4 inches	5 inches	45% inches
334 C 405 (same)	21/4 inches	5½ inches	5¼ inches
1150 C 448 Cut Glassware	3¼ inches	7 inches	47% inches
1149 C 448 (same shape)	3¼ inches	6 inches	45 inches
1151 C 448 (same)	31/4 inches	8 inches	53/8 inches
1384 C 448 Cut Glassware	2¼ inches	51/4 inches	3 % inches
*O	ther sizes described on pa	ge 94	1906-0-000000000000000000000000000000000




## Cut Glassware


0 = 2 = 2	I	Electric			
No.		Fitter	9	Diameter	Depth
*828 C 447 Cut Glassware	3 1/4	inches	6	inches	6¼ inches
†948 C 447 Cut Glassware	21/4	inches	4 1/2	inches	4½ inches
1375 D C 411 Cut Glassware	71	inches	8	inches	$5\frac{3}{16}$ inches
1428 C 421 Cut Glassware	10	inches	1134	inches	5 1/4 inches
1429 C 411 Cut Glassware	10	inches	12	inches	51/4 inches
1430 C 411 (same)	12	inches	14	inches	61/4 inches
$1375 \text{ A C } 411 \left( \begin{array}{c} \text{snape} \\ \text{shape} \end{array} \right)$	7	inches	8	inches	47/8 inches
*Other sizes described on	page 94		†Other sizes de	scribed on page	e 57




	Electric		
No.	Fitter	Diameter	Depth
1493 C 445 Cut Glassware	21/2 inches	$4\frac{3}{16}$ inches	6 inches
1494 C 445 Cut Glassware	21/4 inches	4½ inches	7½ inches
1498 C 456 Cut Glassware	21/4 inches	3 % inches	6½ inches
1498 A C 456 Cut Glassware	21/4 inches	311 inches	5½ inches
1498 C 469 Cut Glassware	21/4 inches	37% inches	6½ inches
1498 A C 469 Cut Glassware	21/4 inches	311 inches	5½ inches
2539 C 430 Cut Glassware	31/4 inches	434 inches	5½ inches




The shades, Numbers 1418 C 450 and 1444 C 450, are illustrated and described on the opposite page.



		our oras	D I I CCI C		
No.		Fitter	Diameter	Depth	For
*828 C 450	Cut Glassware	3¼ inches	6 inches	6¼ inches	Electric
†948 C 411	Cut Glassware	21/4 inches	4½ inches	4½ inches	Electric
†948 C 450	Cut Glassware	21/4 inches	41/2 inches	4½ inches	Electric
1418 C 450	Cut Glassware	33/8 inches	4 inches	5½ inches	Gas
1444 C 411	Cut Glassware	21/4 inches	3½ inches	5 inches	Electric
1444 C 450	Cut Glassware	21/4 inches	31/2 inches	5 inches	Electric
1478 C 411	Cut Glassware	21/4 inches	3½ inches	7 inches	Electric
	*Other sizes described	on page 94	†Other sizes descr	ibed on page 57	




The shades, Numbers 1458 C 451 and 1459 C 451, are illustrated and described on the opposite page.



#### Cut Glassware

#### Electric

No.	Fitter	Diameter	Depth
1458 C 411 Cut Glassware	21/4 inches	8 inches	8½ inches
1458 C 451 Cut Glassware	21/4 inches	8 inches	8½ inches
1459 C 411 Cut Glassware	21/4 inches	6½ inches	63/8 inches
1459 C 451 Cut Glassware	21/4 inches	61/2 inches	63/8 inches
1468 C 411 Cut Glassware	3¼ inches	6½ inches	6½ inches



## Cut Glassware

1398 C 449

#### Electric

No.	Fitter	Diameter	Depth
1394 C 437 Cut Glassware	2¼ inches	3 % inches	4½ inches
1394 C 449 Cut Glassware	2¼ inches	35% inches	4½ inches
1398 C 437 Cut Glassware	2¼ inches	$4\frac{3}{16}$ inches	6 inches
1398 C 449 Cut Glassware	21/4 inches	$4\frac{3}{16}$ inches	6 inches
1493 C 443 Cut Glassware	2¼ inches	$4\frac{3}{16}$ inches	6 inches
1494 C 443 Cut Glassware	2¼ inches	4½ inches	7½ inches




## Colonial Mission Leaded

#### (Crystal Roughed Inside)


No.		Fitter	Diameter	Depth	For
2548	Leaded	33/8 inches	5¼ inches	5 1/8 inches	Gas
2557	Leaded	33/8 inches	6 inches	4¾ inches	Gas
*2572	Verde Antique	31/4 inches	6 inches	6½ inches	Electric
*2573	Verde Antique	31/4 inches	5¼ inches	61/4 inches	Electric
2604	Leaded	21/4 inches	4 inches (square)	41/4 inches	Electric
2605	Leaded	21/4 inches	3½ inches (square)	41/4 inches	Electric

\*2572 and 2573 can also be furnished "Leaded"

Please mention name as well as numbers



The shades, Numbers 2551 and 2552, are illustrated and described on the opposite page.




## Colonial and Mission Leaded

#### Electric

No.		Fitter	Diameter	Depth
2533	Leaded, Crystal Roughed Inside	21/4 inches	4 inches	41/4 inches
*2551	Leaded Clear Diamonds Crystal Roughed Outside	2¼ inches	3½ inches (square)	4¾ inches
*2552	Leaded Clear Diamonds Crystal Roughed Outside	3¼ inches	4½ inches (square)	6% inches
2553	Leaded, Crystal Roughed Inside	31/4 inches	4¾ inches	5% inches
*2563	Leaded Clear Diamonds Crystal Roughed Outside	3¼ inches	4½ inches (square)	5¼ inches

\*Furnished in Red, Green, or Yellow diamonds

Please mention name as well as numbers




## Colonial and Mission Leaded

#### Electric

No.			Fitter	Diameter	Depth
†2571	LC2	Satin Finish and Cut	2¼ inches	4 5% inches	4% inches
*2528	Leaded	Crystal Roughed Inside	2¼ inches	41/4 inches	51/4 inches
*2530	Leaded	Crystal Roughed Inside	3¼ inches	4½ inches	5¾ inches
2532	Leaded	Crystal Roughed Inside	2¼ inches	5 inches	4¼ inches
†2554	LC2	Satin Finish and Cut	7 inches	8 inches	41/2 inches


\*Furnished also with Red, Blue or Green Ribs † Furnished also with Gold Ribs
Please mention name as well as numbers



#### Colonial and Mission Leaded

No.			F	itter	1	Diameter	1	Depth	For	
2524	Leaded	Satin Finish	2¼ i	nches	4	inches (square)	5	inches	Electric	
2525	Leaded	Satin Finish	3¼ in	nches	43/4	inches (square)	61/2	inches	Electric	
2534	Leaded	Satin Finish	2¼ i	nches	4 5/8	inches	41/4	inches	Electric	
2536	Leaded	Crystal Roughed Inside	2¼ i	nches	41/2	inches	41/2	inches	Electric	
2537	Leaded	Crystal Roughed Inside	33/8 i	nches	41/2	inches	41/2	inches	Gas	
2538	Leaded	Satin Finish	3¼ in	nches	51/2	inches	61/2	inches	Electric	
2540	Leaded	Crystal Roughed Inside	3¼ i	nches	6	inches	61/2	inches	Electric	

Please mention name as well numbers



The shades, Numbers 2565 and 2578, are illustrated and described on the opposite page.



#### Colonial and Mission Leaded


(Crystal Roughed Inside)

#### Electric

No.		F	itter	Dia	meter	I	Depth
2564	Leaded	21/4	inches	33/8	inches	43/8	inches
2565	Leaded	31/4	inches	43/4	inches	61/4	inches
2574	Leaded	21/4	inches	41/2	inches	61/4	inches
2578	Leaded	4	inches	71/4	inches	9	inches
2579	Leaded	10	inches	111/2	inches	53/4	inches

Furnished also with Verde Antique

Please mention name as well as numbers



Cuirass shade, Number 1422. Also illustrated and described on opposite page.



#### Cuirass

#### See illustration in color on page 72

No.	Fitter	Diameter	Depth	For
*1419 Frosted Inside with Cuirass	33/8 inches	5 5% inches	3½ inches	Gas
1422 Frosted Inside with Cuirass	33/8 inches	41/4 inches	5 inches	Gas
†1442 Frosted Inside with Cuirass	33/8 inches	41/4 inches	6½ inches	Gas
‡1581 Frosted Inside with Cuirass	3¼ inches	5 inches	51/2 inches	Electric

\*Furnished in Coral, Green, Amber or Crystal

‡Top furnished in Crystal. Bottom furnished in Coral, Green Amber or Crystal

†1442 can be furnished crackled inside. Furnished in Coral, Green, Amber or Crystal

Please mention color as well as numbers




#### Cuirass

#### See illustration in color on page 72

No.		Fitter	Diameter	Depth	For
*1454	4 Frosted Inside with Cuirass	2¼ inches	4 inches	6 inches	Electric
†1576	Frosted Inside with Cuirass	2¼ inches	5 inches	41/2 inches	Electric
‡1577	7 Frosted Inside with Cuirass	2¼ inches	5 inches	6¼ inches	Electric
‡1578	Frosted Inside with Cuirass	33/8 inches	9 inches	53/8 inches	Gas


\*Furnished in Coral, Crystal, Green or Amber. †Furnished in Coral, Crystal, Green or Amber ‡Top furnished in Crystal. Bottom furnished in Coral, Crystal, Green or Amber Please give color as well as number and description



#### Duplex Etched


No.		Fitter	Diameter Top H	eight or Depth	For
$2500 \to 47$	(Positive)	21/4 inches	3½ inches	1½ inches	Electric
2501 E 47	(Positive)	4 inches	7 inches	1¼ inches	Gas
$2504 \pm 50$	(Negative)	21/4 inches	5¼ inches	41/8 inches	Electric
$2505 \to 50$	(Negative)	4 inches	8 inches	4 inches	Gas
$2512 \pm 37$	(Negative)	2¼ inches	4 inches (square)	4⅓ inches	Electric
$2515 \pm 37$	(Negative)	4 inches	6 inches (square)	4½ inches	Gas

"Positive" means: frosted design with satin-finished background "Negative" means: satin-finished design with frosted background



This metal fixture is shown merely to illustrate gas and electric shades used in combination.

The shades, Numbers  $1357 \to 86$  and  $1358 \to 86$ , are illustrated and described on the opposite page.



#### Duplex Etched Glassware

No.		Fitter	Diameter Top	Height	For
1353 E 87 (P	ositive) Plain	4 inches	7½ inches	4 inches	Gas
1354 E 87 (P	ositive) Plain	2¼ inches	4 inches	4½ inches	Electric
1357 E 50 (N	egative) Crimped	4 inches	7½ inches	4¼ inches	Gas
	egative) Crimped	21/4 inches	41/2 inches	41/2 inches	Electric
1357 E 86 (N		4 inches	71/2 inches	41/4 inches	Gas
1358 E 86 (N		2¼ inches	4½ inches	4½ inches	Electric


"Positive" means: frosted design with satin-finished background "Negative" means: satin-finished design with frosted background



### Duplex Etched Glassware

		Electric		
No.	Fitter	Diameter	Height or Depth	For
1394 E 62 (Pos	itive) 2¼ inch	nes 3¼ inches (	top) 45% inches	Electric
1398 E 63 (Neg	ative) 21/4 inch	nes 3½ inches (	top) 6 inches	Electric
2510 E 53 (Neg	rative) 21/4 inch	nes 4 inches	4½ inches	Electric
2511 E 53 (Neg	ative) 4 incl	nes 7¾ inches	43/4 inches	Gas
2602 E 63 (Neg	ative) 2¼ incl	nes 47/8 inches	4¼ inches	Electric


"Positive" means: frosted design with satin-finished background "Negative" means: satin-finished design with frosted background



#### Duplex Etched Globes

No.	Fitter	Diameter	Depth	For
1391 E 95 (Negative)	21/4 inches	6 inches	41/4 inches	Electric
1456 E 37 (Negative)	21/4 inches	7½ inches	6 inches	Electric
1456 E 82 (Negative)	21/4 inches	7½ inches	6 inches	Electric
1456 E C 83 (Negative)	21/4 inches	7½ inches	6 inches	Electric
1461 E 95 (Negative)	21/2 inches	8 inches	5 inches	Electric
2598 E 100	33% inches	65% inches	$4\frac{3}{16}$ inches	Gas

"Positive" means: frosted design with satin-finished background "Negative" means: satin-finished design with frosted background



### Duplex Etched Globes


No.			Fitter	Diameter	Height or Depth	For
574 E 22	(Positive)	Crimped 2	inches	4¼ inches	5¾ inches	Gas
915 E 37	(Negative)	2	inches	4 inches (top)	41/8 inches	Gas
981 E 31	(Positive)	- 33	1/8 inches	5 inches	4-5% inches	Gas
981 E 37	(Negative)	35	% inches	5 inches	45% inches	Gas
1028 E 49	(Positive)	z 3 <del>3</del>	% inches	4½ inches (top)	4½ inches	Gas .
2539 E 86	(Negative)	3 5	4 inches	4¾ inches	51/2 inches	Electric

"Positive" means: frosted design with satin-finished background "Negative" means: satin-finished design with frosted background



#### Simplex Etched Globes


	Simplex	Liched	Globes	
No.	Fitter	Diameter	Height or Depth	For
594 S 651	2 inches	4⅓ inches	5¼ inches	Gas
981 S 651	33% inches	5 inches	45% inches	Gas
1391 S 622	2¼ inches	6 inches	4¼ inches	Electric
2576 S 641	33% inches	47/8 inches	4½ inches	Gas
2591 S 644	33% inches	4½ inches	53/8 inches	Gas
2592 S 650	33% inches	53/8 inches	43/8 inches	Gas
3448 S 651	33/8 inches	45% inches	45% inches	Gas



### Crystal Ribbed

No.	Fitter	Diameter	Depth	For
2598 Crystal Ribbed	33% inches	65% inches	$4\frac{3}{16}$ inches	Gas
2601 Crystal Ribbed	21/4 inches	43% inches	5½ inches	Electric
2602 Crystal Ribbed	21/2 inches	47% inches	4¼ inches	Electric
2614 Crystal Ribbed	21/2 inches	65% inches	4 inches	Electric
2642 Crystal Ribbed	21/2 inches	$3\frac{11}{15}$ inches	5 inches	Electric
2643 Crystal Ribbed	21/2 inches	4 inches	6⅓ inches	Electric
2644 Crystal Ribbed	21/4 inches	4 inches	5 inches	Electric
2645 Crystal Ribbed	21/ inches	4 inches	6.9 inches	Electric


Please mention "Crystal Ribbed" as well as numbers



#### Crystal and Frosted Ribbed

No.		Fitter	Diameter	Depth	For
2541	Crystal Ribbed	31/4 inches	43/4 inches	6 inches	Electric
	Crystal Ribbed	33/8 inches	5 inches	43/4 inches	Gas
2646	Crystal Ribbed	21/4 inches	3-9 inches	5 inches	Electric
2667	S 652 Crystal Ribbed	33/8 inches	6 inches	5 inches	Gas
*2657	Frosted Ribbed	21/4 inches	3 5% inches	51/8 inches	Electric
*2658	Frosted Ribbed	21/4 inches	43/8 inches	6 inches	Electric


\*Furnished either with Frosted Ribs and satin-finished background or vice versa
Please mention name as well as numbers



### Frosted with Crystal Design

No.	Fitter	Diameter Top	Height	For
3500 Frosted with Crystal Desig	gn 2¼ inches	4 inches	4½ inches	Electric
3501 Frosted with Crystal Desi		7½ inches	4 inches	Gas
3502 Frosted with Crystal Designation	gn 2¼ inches	4 inches	4½ inches	Electric
3503 Frosted with Crystal Desi		7½ inches	4 inches	Gas
3504 Frosted with Crystal Designation		4 inches	4½ inches	Electric
3505 Frosted with Crystal Desi		7% inches	4 inches	Gas

Please mention "Frosted with Crystal Design" as well as numbers



### Frosted with Crystal Design

No.		Fitter	Diameter	Height or Depth	For
	Frosted with Crystal Design	4 inches	7¾ inches	4 inches	Gas
3406	Frosted with Crystal Design	21/4 inches	41/4 inches	4 inches	Electric
	Frosted with Crystal Design	2¼ inches	51/4 inches	41/8 inches	Electric
	Frosted with Crystal Design	21/4 inches	7 inches	45% inches	Electric
	Frosted with Crystal Design	21/4 inches	63/4 inches	47/8 inches	Electric
3513	Frosted with Crystal Design	21/4 inches	5% inches	41/8 inches	Electric

Please mention "Frosted with Crystal Design" as well as numbers \*Same shape as 3412



#### Gas Shades

No.		Fitter	Diameter	Depth
*3409	Frosted with Crystal Design	33% inches (metal)	63/4 inches	43/8 inches
3410	Frosted with Crystal Design	33% inches	5¾ inches (top)	45% inches
*3411	Frosted with Crystal Design	33/8 inches (metal)	73/8 inches	41/8 inches
*3414	Alba	33/8 inches (metal)	7¼ inches	3½ inches
3426	Frosted with Crystal Design	33/8 inches	71/4 inches	43/8 inches
*3610	Diamond Prism Reflector	33/8 inches (metal)	7 inches	3¾ inches

\*Used with metal collar which is furnished with shade

Please mention names as well as numbers



#### Electric Portables

No.	Diameter	Height
4509 Agalite Shade	12 inches	16 inches
4510 Agalite Shade	12 inches	16 inches
4511 Agalite Shade	12 inches	16 inches

Shades furnished in Ruby, Green, Amber or Green-Ruby, with either Gold or Verde Ribs. Please specify combination desired

Bases furnished in Old Gilt or Verde

Please specify which is desired




#### Electric Portables


See illustration in color on page 4

No.	*	Diameter	Height
4507	Iridile Shade	7 inches	15½ inches
	Iridile Shade	12 inches	15½ inches
4512	Iridile Shade	12 inches	16⅓ inches

Bases of these furnished in Verde or Brushed Brass

Please specify which is desired






Iridile, Number 2587. Also illustrated and described on page 15



#### Electric Portables

No.		Diameter		Height
	Agalite Shade	8 inches		15½ inches
4501	Agalite Shade	8 inches		151/2 inches
4502	Agalite Shade	8 inches	a	151/2 inches

Bases furnished in Verde or Old Gilt Shades furnished in Green, Amber, Ruby or Green-Ruby with either Gold or Verde Ribs Please specify combination desired



#### Electric Portables

No.		Diameter	Height
4505	Iridile Shade	67/s inches	11 inches
4513	Amber Agalite Shade	5 inches	11 inches
4514	Iridile Shade with Verde Ribs	5½ inches	11 inches

Bases furnished in Old Gilt



#### Electric Portables

See illustration in color on page 4

No.	Diameter	Height
4506 Iridile Shade	8 inches	15½ inches
4515 Iridile Shade with Verde Ribs	10 inches	16½ inches
4516 Iridile Shade with Verde Ribs	8 inches	15½ inches

Bases furnished in Verde or Brushed Brass


Please specify which is desired



#### Electric Portables

Diameter	Height
8 inches	15½ inches
8 inches	15½ inches
8 inches	15½ inches
	8 inches

\*4503 and 4504 Bases furnished in Verde or Old Gilt Shades furnished in Alba or in following colors of Agalite: Green, Amber, Ruby, Green-Ruby with either Gold Ribs or Leaded Alba finished in either Black or Verde lines Please specify combination desired †4517 Base furnished in Verde or Brushed Brass




#### Ball Globes

#### Electric

Made in the following sizes:

No.	Diameter	Fit	ter	No.	Diameter	Fitter	No.	Diameter	Fi	tter
827	5 in.	31/4	in.	850	10 in.	4 in.	1004	14 in.	7	in.
828	6 in.	31/4	in.	848	10 in.	5 in.	1054	14 in.	8	in.
830	7 in.	31/4	in.	849	10 in.	6 in.	884	14 in.	9	in.
852	7 in.	4	in.	1003	10 in.	7 in.	1529	14 in.	10	in.
833	8 in.	31/4	in.	1510	12 in.	4 in.	1528	16 in.	6	in.
832	8 in.	4	in.	851	12 in.	5 in.	844	16 in.	8	in.
839	8 in.	5	in.	838	12 in.	6 in.	1530	16 in.	10	in.
1002	8 in.	6	in.	837	12 in.	7 in.	843	18 in.	8	in.
1509	9 in.	4	in.	1527	12 in.	S in.	1169	18 in.	10	in.
835	9 in.	5	in.	829	12 in.	9 in.	1060	20 in.	81/4	in.
855	9 in.	6	in.	861	14 in.	6 in.	1143	20 in.	11	in.

These globes are furnished in Clear Glass, Cut, Crystal Roughed Inside, Opal, Opalescent, or Alba Other illustrations are shown on pages 53, 57, 58, 61 and 95



## Crystal Roughed Inside

	Electric		
No.	Fitter	Diameter	Depth
*828 Crystal Roughed Inside	3¼ inches	6 inches	6 inches
†948 Crystal Roughed Inside	21/4 inches	4½ inches	4½ inches
1132 Crystal Roughed Inside	21/4 inches	3¾ inches	4 inches
1354 Crystal Roughed Inside	21/4 inches	4 inches (flare)	4½ inches
1358 Crimped Crystal Roughed Inside	21/4 inches	45% inches (flare)	4½ inches
1360 Crimped Crystal Roughed Inside	21/4 inches	4 inches (flare)	4½ inches


\*Complete list of sizes on page 94
Please mention "Crystal Roughed Inside" as well as numbers
†Complete list of sizes on page 57



### Crystal Roughed Inside

			Electric				
No.			Fitter		quare		epth
3490	Crystal Roughed Inside	2	14 inches	5	inches		inches
	Crystal Roughed Inside	2	14 inches	5	inches		inches
	Crystal Roughed Inside	2	14 inches	4	inches		inches
	Crystal Roughed Inside	2	1/4 inches		inches		inches
	Crystal Roughed Inside	2	14 inches		inches		inches
	Crystal Roughed Inside	2	14 inches	43/4	inches		inches
	Crystal Roughed Inside	2	14 inches	4	inches	41/8	inches


Please mention "Crystal Roughed Inside" as well as numbers



### Crystal Roughed Inside

	70	_			
No.		Fitter	Diameter	Depth	For
2657 Crystal Roughed 1	Inside	21/4 inches	3 5% inches	51/8 inches	Electric
2658 Crystal Roughed 1	Inside	2¼ inches	43/8 inches	6 inches	Electric
2671 Crystal Roughed I	nside	2¼ inches	3¾ inches	51/2 inches	Electric
2674 Crystal Roughed I	nside	21/4 inches	33/8 inches	5 inches	Electric
2673 Crystal Roughed I	nside	33/8 inches	4 % inches	4 5% inches	Gas
2601 Crystal Roughed I	nside	21/4 inches	47% inches	5½ inches	Electric

Please mention "Crystal Roughed Inside" as well as numbers



#### Crystal Roughed Inside

No.		Fitter	Diameter	Depth	For
2587	Crystal Roughed Inside	21/4 inches	71/8 inches	41/4 inches	Electric
2598	Crystal Roughed Inside	33/8 inches	65% inches	$4\frac{3}{16}$ inches	Gas
	Crystal Roughed Inside	21/4 inches	7 inches	47/8 inches	Electric
2614	Crystal Roughed Inside	21/4 inches	65% inches	4 inches	Electric
2617	Crystal Roughed Inside	21/4 inches	9 inches	53% inches	Electric
	Crystal Roughed Inside	21/4 inches	63/8 inches	3¾ inches	Electric


Please mention "Crystal Roughed Inside" as well as numbers



### Crystal Roughed Inside


	Electric		
No.	Fitter	Diameter	Depth
2640 Crystal Roughed Inside	2¼ inches	6 inches	5 % inches
2641 Crystal Roughed Inside	3¼ inches	6 inches	8 inches
2642 Crystal Roughed Inside	21/4 inches	$3\frac{1}{15}$ inches	5 inches
2643 Crystal Roughed Inside	2¼ inches	4 inches	65% inches
2645 Crystal Roughed Inside	2¼ inches	4 inches	$6\frac{9}{1.6}$ inches
2646 Crystal Roughed Inside	2¼ inches	$3\frac{9}{18}$ inches	5 inches
2647 Crystal Roughed Inside	21/4 inches	$4\frac{1}{16}$ inches	4¾ inches
Please mention "	Crystal Roughed Inside'' a	is well as numbers	

Please mention "Crystal Roughed Inside" as well as number



This metal fixture is shown merely to illustrate the shades in use.


The shades, Numbers  $2628~\mathrm{D}$  148 and  $2535~\mathrm{D}$  148, are illustrated and described on the following page.



#### Decorated Glassware

#### Gas and Electric

	Cub	and and		
No.	Fitter	Diameter	Height	For
1371 B D 119	33% inches	5¾ inches	45% inches	Gas
1371 B D 135	33% inches	5¾ inches	45% inches	Gas
2535 D 148	3¼ inches	4½ inches	5½ inches	Electric
2557 D 145	3¾ inches	6 inches	43/4 inches	Gas
2628 D 148	2¼ inches	4¼ inches	5¼ inches	Electric



#### Decorated Glassware

	2000	natea G	iass ware		#3
No.		Fitter	Diameter	Height or Depth	For
*1444 D 155 *1444 D 156 *1478 D 155 *1478 D 156 1498 T 1 1418 T 2	Japanese Design Japanese Design Japanese Design Japanese Design Triplex Etched Triplex Etched	2¼ inches 2¼ inches 2¼ inches 2¼ inches 2¼ inches 3¾ inches	3½ inches 3½ inches 3½ inches 3½ inches 3½ inches 4 inches	5 inches 5 inches 7 inches 7 inches 6½ inches 5½ inches	Electric Electric Electric Electric Electric Gas
	Shades	for Cand	le Holders		X.
808 W 803 808 W 804		1½ inches 1½ inches	47% inches 47% inches	8¾ inches 8¾ inches	
	*Furnished	in White, Brown	and Green design		



### Decorative and Useful Illumination

This picture illustrates one of the most beautiful and otherwise satisfactory methods of lighting — semi-indirect illumination with Alba Bowls.

Part of the light is reflected to the ceiling and in turn reflected again to all other parts of the room. The rest of the light is diffused directly through the bowl to the lower part of the room.

The resulting illumination is soft, even and agreeable to the eyes with just enough shadow to aid in distinguishing objects readily.

Illumination of this sort shows the furniture and furnishings of the room to full advantage and is in itself extremely beautiful without being obtrusive. Handsome at all times—by day or night.

The Alba Bowl illustrated on this page is shown complete with fixture on page 30 and without fixture on page 31.



# Alba Pendent Spheres

for

#### Store Illumination

Where the illumination is agreeable people feel much more at home. They stay longer; see better; do their work more thoroughly; buy more; and are better satisfied.

The best means that we know for general store illumination are Tungsten lamps enclosed in Alba Pendent Spheres, or Alba Ornamental Balls, illustrated on pages 28 and 29 of this book. See also Alba Ornamental Ball, pages 24 to 27.

These Alba units give an ample amount of soft, agreeable light, without the sharp shadows that result from the usual indoor arc light.

They are very easy to keep clean and take care of and there is no delay arising from the renewal of lamps.

On the whole by far the most satisfactory method of store lighting.

RE That we send you our special book on this subject?

SIGN DIV.